

Electrolux Professional

# Range Overview

Professional  
Laundry



*Thinking of you*  
**Electrolux**

# Excellent solutions that meets your needs

*Boasting intelligent features and unique extras, our excellent solutions offer the utmost in quality combined with the lowest utility costs for laundries of all sizes.*

## **Electrolux** Excellence



Excellence is central to everything we do. By anticipating our customers' needs, we strive for Excellence with our people, innovations, solutions and services. Thus making our customers' work and life easier and more profitable.




## Washer Extractor Control

ensures the best utility cost optimisation and customising



### Compass Pro®

- Flexible and customisable
- Up to 55 programs available of which 15 programmable
- Large, clear display in up to 18 languages, plus Real-time clock
- Create new programs your PC with the Laundry Program Manager, then transfer them to machines via USB port
- Automatic Saving System: save up to 50% on water for half load
- 5 liquid detergent signals
- Process monitoring via Certus Management™ Information System



### Unique Triangle Technology\*

The best flexibility and process performance

- **Economy:** optimal cost efficiency for medium-soiled garments due to low energy consumption
- **Time:** the highest output volume for lightly-soiled garments due to shorter process times
- **Performance:** the best cleaning results for heavily-soiled garments



### Clarus Control®

- Fully programmable with up to 194 programs for unparalleled versatility
- Create new programs directly on the Clarus Control®/ Clarus Control® TS panel or on your PC with the Laundry Program Manager, then transfer them to machines via memory card
- Intelligent parameters save time, energy and water while delivering excellent wash and rinse results in every application
- 8 liquid detergent signals
- Process monitoring via Certus Management™ Information System\*



### Clarus Control® TS

- Easy-to-use touch screen for Pullman barrier washers
- Fully programmable with up to 900 programs
- Delayed start with Real-time clock for next-day unloading
- Up to 13 liquid detergent signals for correct formula concentrations
- Second display option on the clean side for more cycle oversight
- Create new programs directly on the Clarus Control® TS panel or on your PC with the Laundry Program Manager, then transfer them to machines via memory card

\* Valid within the Multi-Housing and Hospitality segments.




# Tumble Dryer Control

ensures the best flexibility and usability



## Compass Pro®

- Flexible and customisable
- Up to 55 programs available of which 15 programmable
- Large, clear display in up to 18 languages, plus Real-time clock
- Process monitoring via Certus Management™ Information System



## Unique Triangle Technology\*

The best flexibility and process performance

- **Economy:** optimal cost efficiency due to low energy consumption
- **Time:** the highest output volume thanks to high evaporation and shorter process times
- **Care:** the best results for delicate garments due to gentle drying



## Selecta Control®

- Accurate temperature/humidity control for quick, efficient drying
- Automatic inversion of drum rotation
- Automatic cooling cycle reduces creasing and improves finish
- 9 programs including exact temperature control and continuous high drying performance throughout the entire electronic cycle
- Select drying time, cooling and reverse action
- Continuous self-testing, displays and logs error codes for easy troubleshooting
- Process monitoring via Certus Management™ Information System

# Ironer Control

ensures the best results thanks to process optimisation



## Electronic control

- Large, intuitive display
- Indicator light informs operator if retained humidity after ironing is too high
- Ensures optimum dryness and hygiene, plus compliance with risk analysis and bio-contamination quality control
- Process monitoring via Certus Management™ Information System



## Electro-mechanical control

- Easy to read and set
- Ironing temperature and speed can be adjusted at any time
- Autostop function to maximise ironing belt lifetime (standard)

# Excellence for your Professional Laundry

## Because every laundry is different

### Self-Service Laundry –

Robust and easy-to-use machines, easy maintenance and fast access for customers. That's the key to a successful self-service laundry. Our solutions are developed for low running costs, reduce downtime and maximise efficiency in the total process.



### Multi-Housing Laundry –

Best-in-class solutions for quality, economy and excellent washing results. Flexible programs and easy-to-use instructions give your tenants a pleasant laundry experience. Thanks to lower water and energy consumption, both you and the environment win.



### Commercial Laundry

Higher performance, higher productivity, lower running costs and maximum transparency in the laundry process: that's what really matters in the commercial B2B laundry business. The Lagoon® Wet-cleaning system from Electrolux Professional is an instant business opportunity to keep your commercial B2C laundry operating at its maximum level while reducing environmental liability costs. An eco-friendly solution for the care of delicate garments, approved by The Woolmark Company.



### Care Laundry –

Always maximum hygiene standards and full control over the laundry process. Thanks to best-in-class hygiene programs, Electrolux Professional offers safe and reliable solutions combined with unparalleled flexibility.

### Facility Management Laundry –

A clean performance for your material assets. Short processes, increased efficiency, long mop service life and optimal cleaning quality. In a nutshell: microfibre Excellence by Electrolux.



### Hospitality Laundry –









Improve your service with 5-stars solutions for cost savings and reliability. Boasting intelligent features and unique extras, our excellent solutions offer the utmost in quality combined with the lowest utility costs for in-house laundries of all sizes. For total control of your laundry costs.

### In-House Laundry –

Optimise your internal resources with Electrolux Professional in-house solutions. Flexible programs give you full control over your laundry for superior results and the lowest cost per wash.











# Washer Extractors

Choose the solution that suits you best

<div>         </div>								
<b>Washer Extractors Soft Mount</b> <b>H High Spin Range</b>								
Segments	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH
Drum volume, l	53	65	75	105	130	180	240	300
Dry weight capacity, kg/lb	6/13	7/15	8/18	11/25	14/30	20/45	27/60	33/75
G-factor	530	450	450	450	450	450	450	400
Width, mm	595	720	720	830	910	970	1020	1020
Depth, mm	680	690	690	705	785	870	915	1060
Height, mm	850	1115	1115	1200	1325	1410	1445	1445
Width, in	23 7/16"	28 6/16"	28 6/16"	32 11/16"	35 13/16"	38 3/16"	40 3/16"	40 3/16"
Depth, in	26 12/16"	27 3/16"	27 3/16"	27 12/16"	30 14/16"	34 4/16"	36	41 3/4"
Height, in	33 7/16"	43 14/16"	43 14/16"	47 4/16"	52 3/16"	55 8/16"	56 7/8"	56 7/8"
Electric/Steam/Non-heated	x/-/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x
Compass Pro®	●	●	●	●	●	●	●	●
Clarus Control® *	–	○	○	○	○	○	○	○
Wet-cleaning Excellence	–	–	–	○	○	○	○	○

Front and side panel in stainless steel as option. More information on product data sheet.

\* Machines with Clarus Control are designed with horizontal wave and meet the specifications of Generation 4000.

<div> N Normal Spin  S Super Spin  X Extra Spin </div>										
<div>           </div>										
<b>Washer Extractors Solid Mount</b> <b>N / S / X Spin Range</b>										
Segments	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ABCD EFGH	ACDE FGH	ACDE FGH	ACDE FGH
Drum volume, l	75	85	105	130	180	250	330	280	350	600
Dry weight capacity, kg/lb	8/18	9/20	11/25	14/30	20/45	28/62	35/77	28/62	35/77	60/135
G-factor (N/S)	100/200	100/200	100/200	100/200	100/200	100/200	100/200			
G-factor (X)								300	300	300
Width, mm	660	660	720	720	750	830	910	935	1085	1145
Depth, mm	690	730	705	790	880	955	1040	970	1105	1375
Height, mm	1115	1115	1200	1200	1333	1410	1445	1455	1570	1670
Width, in	26"	26"	28 6/16"	28 6/16"	29 8/16"	32 11/16"	35 13/16"	36 13/16"	42 11/16"	45 1/16"
Depth, in	27 3/16"	28 3/4"	27 3/4"	31 2/16"	34 10/16"	37 10/16"	40 15/16"	38 3/16"	43 8/16"	54 2/16"
Height, in	43 14/16"	43 14/16"	47 4/16"	47 4/16"	52 3/16"	55 8/16"	56 14/16"	57 5/16"	61 13/16"	65 12/16"
Electric/Steam/Non-heated	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	-/x/x	x/x/x	x/x/x
Compass Pro®	●	●	●	●	●	●	●	●	●	●
Clarus Control® (S/X) *	○	○	○	○	○	○	○	○	○	○
Wet-cleaning Excellence	○	○	○	○	○	○	○	–	–	–
MOP Washer (S)	○	○	○	○	○	○	○	–	–	–
SLUICE Washer (N)	○	○	○	○	○	○	○	–	–	–

Front and side panel in stainless steel as option. More information on product data sheet.

\* Machines with Clarus Control are designed with horizontal wave and meet the specifications of Generation 4000.

**Soft Mount machines** Direct installation on all types of floors  
**Solid Mount machines** Need to be fixed to the floor

### Washer Extractors Soft Mount H High Spin Range



Segments	CDEF GH	CDEF GH	CDEF GH	CDEF GH
Drum volume, l	400	600	850	1100
Dry weight capacity, kg/lb	45/100	65/145	90/200	120/265
G-factor	350	350	350	300
Width, mm	1330	1390	1640	1640
Depth, mm	1360	1600	1630	1845
Height, mm	1890	2015	2230	2230
Width, in	52 6/16"	54 12/16"	64 9/16"	64 9/16"
Depth, in	53 9/16"	63	64 3/16"	72 10/16"
Height, in	74 7/16"	79 5/16"	87 13/16"	87 13/16"
Electric/Steam/Non-heated	x/x/x	x/x/x	-/x/x	-/x/x
Clarus Control®	●	●	●	●
Wet-cleaning Excellence	O	-	-	-

Front and side panel in stainless steel as option. More information on product data sheet.

### Wash&Dry



Segments	ABCD EFGH	ABCD EFGH
Drum volume, l	130	240
Dry weight capacity, kg/lb	8/18	15/33
G-factor	350	350
Electric/Electric	●	●
Width, mm	910	1020
Depth, mm	1110	1350
Height, mm	1330	1450
Width, in	35 13/16"	40 3/16"
Depth, in	43 11/16"	53 1/8"
Height, in	52 3/8"	57 1/16"
Electric/Gas/Non-heated	x/x/x	x/x/x
Compass Pro®	●	●
Wet-cleaning Excellence	-	O

### Side load Barrier Washers\* Side load Washer Extractors



Segments	EF G H	CEFG H	CEFG H	CEFG H	CEFG H	CDEF GH	CEFG H	CDEF GH	CEFG H	CEFG H
Drum volume, l	130	180	180	250	350	500	650	700	900	1100
Dry weight capacity, kg/lb	13/29	18/40	18/40	25/55	35/77	50/110	65/143	70/154	90/198	110/242
G-factor	300	300	350	350	350	350	350	300	300	300
Width, mm	910	970	895	1050	1270	1567	2000	1496	1726	1956
Depth, mm	875	975	1040	1050	1060	1055	1055	1483	1483	1483
Height, mm	1325	1410	1620	1620	1620	1610	1610	2040	2040	2040
Width, in	35 13/16"	38 3/16"	35 1/4"	41 5/16"	50"	61 11/16"	78 12/16"	58 14/16"	67 15/16"	77
Depth, in	30 14/16"	38 3/8"	40 15/16"	41 5/16"	41 3/4"	41 9/16"	41 9/16"	58 6/16"	58 6/16"	58 6/16"
Height, in	52 3/16"	55 1/2"	63 3/4"	63 3/4"	63 3/4"	63 6/16"	63 6/2"	80 5/16"	80 5/2"	80 5/16"
Electric/Steam/Gas/Thermal Oil	x/x/-/-	x/x/-/-	x/x/x/-	x/x/x/-	x/x/x/-	x/x/x/x	x/x/x/x	x/x/-/x	x/x/-/x	x/x/-/x
Compass Pro®	●	●	●	●	●	-	-	-	-	-
Clarus Control®	O	O	-	-	-	●	●	-	-	-
Clarus TS®	-	-	-	-	-	-	-	●	●	●
Wet-cleaning Excellence	O	O	O	O	O	O	-	-	-	-

Consult your Electrolux contact regarding special Cleanroom constructions for Barrier Washers.

\* Barrier Washers is not valid for the Hospitality segment

A Self-Service Laundry

B Multi-Housing Laundry

C Commercial Laundry

D Commercial Laundry

E Care Laundry

F Facility Management Laundry

G Hospitality Laundry

H In-House Laundry

● standard

O option

x available

- not available



# Tumble Dryers

Find the solution that meets your needs

Tumble Dryers										
	T5130	T5190	T5250	T5290	T5300LE	T5300S	T5350	T5420S	T5550	T5675
Segments	ABCD FH	ABCD FH	ABCD EGH	ABH	ABCD EFGH	ABCD H	ACDE GH	ACDE GH	ACDE GH	ACDE GH
Drum volume, l	130	190	250	290	300	300	350	420	550	675
Dry weight capacity, kg/lb	6/13	10.6/23	13.9/30	16.1/35.5	10/22	2x16.7/2x37	19.4/42	2x20.4/2x45	30.5/67.2	37.5/82.7
Width, mm	595	720	790	710	790	790	790	870	960	960
Depth, mm	735	745	900	1155	1284	1120	1120	1322	1315	1510
Height, mm	850	1130	1720	1675	1663	1940	1720	2078	1855	1855
Width, in	23 7/16"	28 3/8"	31 1/8"	27 15/16"	31 1/8"	31 1/2"	31 1/8"	34 1/4"	37 13/16"	37 13/16"
Depth, in	28 15/16"	29 5/16"	35 7/16"	45 1/2"	50 9/16"	43 3/4"	44 1/8"	81 13/16"	51 3/4"	59 7/16"
Height, in	33 7/16"	44 1/2"	67 11/16"	65 15/16"	65 1/2"	76 1/4"	67 11/16"	52 1/16"	73 1/16"	73 1/16"
Electric/Gas/Steam	●/–/–	x/x/–	x/x/x	x/x/x	●/–/–	x/x/–	x/x/x	–/●/–	x/x/x	x/x/x
Energy kWh/l water evaporated* (Electric/Gas/Steam)	0.94/–/–	0.92/–/–	0.95/1.09/2.23	0.96/1.06/1.37	0.22/–/–	0.96/1.03/–	0.99/1.03/1.48	–/1.17/–	0.98/1.06/1.22	0.98/1.07/1.26
Compass Pro®	●	●	●	●	●	●	●	●	●	●
Residual Moisture Control	●	○	○	○	●	○	○	–	○	○
Reversing Drum Action	●	○	○	○	●	○	○	○	○	○
Wet-cleaning Excellence	–	–	○	○	–	–	○	○	○	○

Consult your Electrolux contact regarding special Cleanroom constructions for Dryers.

Tumble Dryers		
	T4900 T4900CR	T41200 T41200CR
Segments	CDEG H	CDEG H
Drum volume, l	900	1200
Dry weight capacity, kg/lb	50/110	6/147
Width, mm	1290	1290
Depth, mm	1295	1485
Height, mm	2465	2465
Width, in	50 13/16"	50 13/16"
Depth, in	51	58 7/16"
Height, in	97	97
Electric/Gas/Steam	x/x/x	x/x/x
Energy kWh/l water evaporated* (Electric/Gas/Steam)	1.2/1.16/1.91	1.17/1.23/1.68**
Selecta Control®	●	●
Residual Moisture Control	●	●
Reversing Drum Action	●	●
Wet-cleaning Excellence	○	○
Sliding door	○	○

Front panel in stainless steel as option.  
More information on product data sheet.  
T4900CR / T41200CR are specially designed for cleanroom environments.

\* At rated capacity 100 % cotton load at 50 % initial moisture dried to 0 %

\*\* Test load 48 kg / 100 lbs

A Self-Service Laundry	①	E Care Laundry	⊕
B Multi-Housing Laundry	②	F Facility Management Laundry	③
C Commercial Laundry	④	G Hospitality Laundry	⑤
D Commercial Laundry	⑥	H In-House Laundry	⑥

● standard

○ option

x available


– not available







# Ironers

Discover which solution is best for you

										
<b>Ironers</b>	<b>IC43316</b>	<b>IC43320</b>	<b>IC44819</b>	<b>IC44821</b>	<b>IC44825</b>	<b>IC44828</b>	<b>IC44832</b>	<b>IC44819 FFS</b>	<b>IC44825 FFS</b>	<b>IC44832 FFS</b>
Segments	C D E G H	C D E G H	C D E G H	C D E G H	C D E G H	C D E G H	C D E G H	C E G H	C E G H	C E G H
Roll diameter mm/in	325/13	325/13	479/19	479/19	479/19	479/19	479/19	479/19	479/19	479/19
Ironing width mm/in	1650/65	2065/81	1910/75	2120/83	2540/100	2750/108	3170/125	1910/75	2540/100	3170/125
Width, mm	2030	710	2575	2785	3205	3415	3835	3810	4410	4910
Depth, mm	690	1155	1070	1070	1070	1070	1070	1730	1730	1730
Height, mm	1145	1675	1270	1270	1270	1270	1270	1675	1675	1675
Width, in	79 15/16"	27 15/16"	26 12/16"	126 3/16"	126 3/16"	134 7/16"	151	150	173 10/16"	193 5/16"
Depth, in	27 3/16"	45 1/2"	40 6/16"	40 6/16"	40 6/16"	40 6/16"	40 6/16"	68 2/16"	68 15/16"	68 15/16"
Height, in	45 1/16"	65 15/16"	50	50	50	50	50	65 15/16"	65 15/16"	65 15/16"
Width, mm (with Feeding and Length Folding)	–	–	2575	2785	3205	3415	3835	–	–	–
Depth, mm (with Feeding and Length Folding)	–	–	1280	1280	1280	1280	1280	–	–	–
Height, mm (with Feeding and Length Folding)	–	–	1460	1460	1460	1460	1460	–	–	–
Width, in (with Feeding and Length Folding)	–	–	101-16/16"	126-3/16"	126-3/16"	134-7/16"	151	–	–	–
Depth, in (with Feeding and Length Folding)	–	–	50	50	50	50	50	–	–	–
Height, in (with Feeding and Length Folding)	–	–	57	57	57	57	57	–	–	–
Electric/Gas/Steam	x/-/x	x/-/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x	x/x/x
Evaporation capacity l/h	19.5	24.5	38/57/35	40/63/37	48/75/46	51/81/51	59/93/59	38/57/35	48/75/46	59/93/59
Speed m/minute	0.5 to 5.5	0.5 to 5.5	1.5 to 9	1.5 to 9	1.5 to 9	1.5 to 9	1.5 to 9	1.5 to 11	1.5 to 11	1.5 to 11
Ironer Moisture	○	○	●	●	●	●	●	●	●	●
Dubixium™*	–	–	○	○	○	○	○	●	●	●
Automatic feeding	–	–	○	○	○	○	○	●	●	●
Automatic folding	–	–	○	○	○	○	○	●	●	●

\* For electric and gas heated versions

			
<b>Ironers</b>	<b>IB42310</b>	<b>IB42314</b>	<b>IB42316</b>
Segments	C D E G H	C D E G H	C D E G H
Roll diameter mm/in	230/9	230/9	230/9
Ironing width mm/in	1000/39	1400/55	1650/64
Width, mm	1395	1795	2045
Depth, mm	510	510	510
Height, mm	1025	1025	1025
Width, in	54 15/16"	70 11/16"	80 8/16"
Depth, in	20 1/16"	20 1/16"	20 1/16"
Height, in	40 6/16"	40 6/16"	40 6/16"
Electric	x	x	x
Evaporation capacity l/h	5	6,5	8,1
Speed m/minute	1 to 4	1 to 4	1 to 4

		
<b>Ironers</b>	<b>C-Flex 900</b>	<b>C-Flex 1200</b>
Segments	C D E G H	C D E G H
Roll diameter mm/in	900/35	1200/47
Ironing width mm/in	2700 to 4200/118 to 165	2700 to 4200/118 to 165
WidthxDepthxHeight (1 roll), mm*	4500x1685x1560	4500x1985x1760
WidthxDepthxHeight (2 rolls), mm*	4500x2955x1560	4500x3555x1760
WidthxDepthxHeight (3 rolls), mm*	4500x4225x1560	4500x5125x1760
WidthxDepthxHeight (1 roll), in	165 6/16" x 78 9/16" x 61 7/16"	165 6/16" x 91 5/16" x 69 5/16"
WidthxDepthxHeight (2 rolls), in	165 6/16" x 130 14/16" x 61 7/16"	165 6/16" x 157 5/16" x 69 5/16"
WidthxDepthxHeight (3 rolls), in	165 6/16" x 183 11/16" x 61 7/16"	165 6/16" x 219 2/16" x 69 5/16"
Steam/Gas/Thermal Oil	x/x/x	x/x/x
Evaporation capacity l/h	189 to 731	230 to 1260
Number of rolls	1 to 3	1 to 3
Speed m/minute	5 to 50	5 to 50

\* For 3.3 m working width models

# Finishing equipment

Finishing solutions that meet your needs

## Tables



**FIT1** Folding Table  
with manual boiler (2 hours) + iron



**FIT2B** Vacuum Ironing Table  
with integrated automatic boiler



**FIT1-WC** Vacuum/Blowing Table  
(left ended) without boiler

## Finisher



**FSF2** Blowing Shirt Finisher  
**FSF3** Pressing Shirt Finisher



**FFT-WC** Jacket Multi-form Finisher



**FTT2** Trouser Topper

## Spotting units



**FSU3** Pre-Spotting Portable Table



**FSU4** Pre-Spotting and Pre-Brushing Cabinet  
with vacuum

## Boiler



**FSB24C** Boiler 24 kW  
with condensate collecting tank

This is a selection of the key finishing products.  
A wide range of options and accessories  
(trolleys, bases, condensing units, etc)  
is also available. Ask your local office!

## Presses



**FPA6-WC** Collar and Cuff Press



**FPA1-WC** Automatic Laundry Press  
with universal shape



**FPA3-WC** Automatic Laundry Mushroom Press



**FPA1-D** Automatic Cleaning Press  
with universal shape

## Fin Cabinet



**FC48** Finishing Cabinet 8 hangers

## Marking Machine



**Y150** Marking Machine

## Unique Service Excellence

Always near.  
Always there for you

A reliable, global presence: Electrolux Professional offers the most extensive service network of skilled, authorised partners for daily tasks: installation, spare parts and maintenance. All of them provide efficient customer service and fast technical assistance. A global service network for prompt, expert advice worldwide.

- ▶ 1,900 authorised service centres
- ▶ Over 7,000 expert technicians
- ▶ 44,000 available spare parts in stock
- ▶ Spare parts are available for at least 10 years from the end of production
- ▶ 24–48 hr spare parts delivery worldwide
- ▶ 20,000 customers serviced every day



*Thinking of you*  
**Electrolux**

## Electrolux Professional

Consumer-Operated Laundry Solutions  
Commercial Laundry Solutions  
Hygiene Laundry Solutions  
In-House Laundry Solutions



## Excellence with the environment in mind

Electrolux Professional solutions perfectly match the customers' needs, including the areas of reliability, cost efficiency and sustainability. The products are the best in terms of quality – durability with low running costs. Some installations have been running for more than 40 years!

- ▶ All Electrolux factories are ISO 14001-certified
- ▶ All Electrolux Professional products are designed for low water, energy and detergent consumption, and for low emissions into the environment
- ▶ All Electrolux Professional products are ROHS-compliant and over 95 % recyclable
- ▶ All units are quality tested, piece by piece, and all of the functions are individually checked by expert technicians
- ▶ In the last five years, more than 70 % of Electrolux Professional solutions have been updated with features that are always designed with the needs of customers and environmental considerations in mind



**Discover the Electrolux Excellence  
and share more of our thinking at  
[www.electrolux.com/professional](http://www.electrolux.com/professional)**